

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	184	(processor\$1 microprocessor\$1) near5 (decrypt\$7 decipher\$8) near4 (software\$1 program\$3 application\$1)	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:35
L2	12633	(processor\$1 microprocessor\$1) near5 (id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number))	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:03
L3	31	L1 and L2	USPAT; IBM_TDB	OR	OFF	2007/06/19 11:55
L4	30	L3 and (encrypt\$8 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/06/19 11:52
L5	4685	(encrypt\$8 encipher\$9 cipher\$9) near5 (id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number))	USPAT; IBM_TDB	OR	OFF	2007/06/19 11:52
L6	19	L4 and L5	USPAT; IBM_TDB	OR	OFF	2007/06/19 11:58
L7	6	L6 and ((external\$2 remote\$1 outside) near4 (memor\$3 rom eeprom eeprom ram nonvolatile\$1 non-volatile\$1))	USPAT; IBM_TDB	OR	OFF	2007/06/19 11:59
L8	4	L7 and (serial\$2)	USPAT; IBM_TDB	OR	OFF	2007/06/19 11:59
L9	17240	(processor\$1 CPU (processing near2 unit\$1) microprocessor\$1) near5 (id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number))	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:07
L10	230	(processor\$1 microprocessor\$1) near6 (decrypt\$7 decipher\$8) near5 (software\$1 program\$3 application\$1)	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:11
L11	51	L9 and L10	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:05
L12	89	(processor\$1 microprocessor\$1) near6 (decrypt\$7 decipher\$8) near5 (id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number))	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:06
L13	111	(processor\$1 CPU (processing near2 unit\$1) microprocessor\$1) near5 (id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number)) near6 (decrypt\$7 decipher\$8)	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:12

10/805,776

## EAST Search History

L14	217	(processor\$1 CPU (processing near2 unit\$1) microprocessor\$1) near6 (encrypt\$8 encipher\$9 cipher\$9) near5 (id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number))	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:11
L15	62	I9 and I13 and I14	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:07
L16	534	("exe." execut\$4 run\$3) near6 (software\$1 program\$3 application\$1) near6 (decrypt\$7 decipher\$8)	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:04
L17	733	(stor\$4 memor\$3 rom ram eeprom eeprom nonvolatile non-volatile\$1) near6 (decrypt\$7 decipher\$8) near4 (method\$1 algorithm\$1 procedure\$1)	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:14
L18	101	I16 and I17	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:11
L19	9	I18 and I9	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:11
L20	5124	(encrypt\$8 encipher\$9 cipher\$9) near6 (id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number))	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:11
L21	1986	(id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number)) near6 (decrypt\$7 decipher\$8)	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:12
L22	27674	(id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number)) near3 (portion\$3 part\$2 some)	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:22
L23	1587	I20 and I21	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:13
L24	628	I22 and I23	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:13
L25	4429	(decrypt\$7 decipher\$8) near4 (method\$1 algorithm\$1 procedure\$1)	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:14
L26	9	I24 and I25 and I15	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:14
L28	15	I22 near6 (using use\$1 utili\$7 along with\$1) near5 (decrypt\$7 decipher\$8)	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:33
L29	95	I22 near6 (using use\$1 utili\$7 along with\$1) near5 (encrypt\$8 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:26
L30	8	I28 and I29	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:28

## EAST Search History

L31	1	I30 and I9	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:27
L32	1053	(id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number)) near6 (using use\$1 utili\$7 includ\$3 with\$1) near5 (decrypt\$7 decipher\$8)	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:34
L33	2708	(id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number)) near6 (using use\$1 utili\$7 includ\$3 with\$1) near5 (encrypt\$8 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:34
L34	410	(processor\$1 CPU (processing near2 unit\$1) microprocessor\$1) near9 (decrypt\$7 decipher\$8) near4 (software\$1 program\$3 application\$1)	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:02
L35	3224	(decrypt\$7 decipher\$8) near6 (software\$1 program\$3 application\$1)	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:36
L36	2384	(processor\$1 CPU (processing near2 unit\$1) microprocessor\$1) near6 (decrypt\$7 decipher\$8)	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:36
L37	3612	(processor\$1 CPU (processing near2 unit\$1) microprocessor\$1) near6 (encrypt\$8 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:37
L38	757	I32 and I33	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:37
L39	667	I35 and I36 and I37	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:24
L40	121	I38 and I39	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:37
L41	64	I40 and I9	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:38
L42	48	I41 and I25	USPAT; IBM_TDB	OR	OFF	2007/06/19 12:38
L43	4	I30 and ((exe\$1 execut\$4 run\$3) near6 (software\$1 program\$3 application\$1))	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:10
L44	6278	((380/1) or (380/201) or (380/202) or (380/203) or (380/228) or (380/239) or (380/241) or (380/255) or (380/259) or (380/37) or (380/277) or (380/281) or (380/282) or (380/285) or (380/28) or (380/29) or (380/30) or (726/2) or (726/3) or (726/27) or (726/34) or (713/171) or (713/187) or (713/189) or (713/193)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:16
L45	507	I44 and I9	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:16

## EAST Search History

L47	99	I45 and I39	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:18
L48	40	I47 and I38	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:18
L49	5	I48 and I17	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:19
L50	15	I44 and ((id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number)) near5 (portion\$3 part\$2 some) near6 (using use\$1 utili\$7 along with\$1) near5 (decrypt\$7 decipher\$8) )	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:23
L51	19	I45 and ((id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number)) near5 (portion\$3 part\$2 some) near6 (using use\$1 utili\$7 along with\$1) near5 (encrypt\$8 encipher\$9 cipher\$9))	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:23
L52	11	I50 and ((id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number)) near5 (portion\$3 part\$2 some) near6 (using use\$1 utili\$7 along with\$1) near5 (encrypt\$8 encipher\$9 cipher\$9))	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:23
L53	15	I51 and (I35 I36 I37)	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:25
L54	6	I52 and (I35 I36 I37)	USPAT; IBM_TDB	OR	OFF	2007/06/19 13:25